



CMS 2025 Measure 138 v13

for NextGen[®] HQM

NOTICE: This document contains information that is confidential and proprietary to NextGen Healthcare, Inc. and its subsidiaries and affiliates ("Company") and is intended for use solely by Company's authorized clients. This document may not be copied, reproduced, published, displayed, otherwise used, transmitted, or distributed in any form by any means as a whole or in any part, nor may any of the information it contains be used or stored in any information retrieval system or media, translated into another language, or otherwise made available or used by anyone other than the authorized client to whom this document was originally delivered without the prior, written consent of Company.

By retaining or using this document, you represent that you are a client or an authorized representative of a client of Company who is authorized to use this document under one or more agreements between you and Company now in force, and that you will use this document and the information it contains solely as and to the extent those agreements permit. Any other use or distribution of the contents of this document, as a whole or in any part, is prohibited. Although we exercised great care in creating this publication, Company assumes no responsibility for errors or omissions that may appear in this publication and reserves the right to change this publication at any time without notice.

You will not, directly or indirectly, use, or permit any third party to use, any information obtained from or through this document: (a) as a training set for machine learning or the training of an artificial intelligence ("AI"); (b) in connection with machine learning, development and refinement of algorithms, and/or the enhancement and/or improvement of the operation and functionality of your or any third party's products or services; or (c) in any generative artificial intelligence software, tools or technologies, including, but not limited to, any natural language processing, deep learning algorithms, or machine learning models (commonly known as "Generative AI").

© 2025 NXGN Management, LLC. All Rights Reserved.

NextGen is a registered trademark of NXGN Management, LLC. Windows and Microsoft Edge are trademarks of the Microsoft group of companies. Mozilla Firefox is the trademark of the Mozilla Foundation in the US and other countries. Apple, macOS, and Safari are registered trademarks of Apple Inc. IOS is a registered trademark of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries. CPT® is a registered trademark of the American Medical Association. Android is a trademark of Google LLC All other names and marks are the property of their respective owners.

Contents

Overview	5
NextGen HQM Supported Versions.....	7
NextGen HQM Supported Browsers.....	7
User Workflow for Initial Population 1, 2, and 3	9
Document Qualifying Encounters or Preventive Visits.....	9
List of Values for Initial Population 1, 2, and 3.....	10
User Workflow for Denominator 1 and 3	19
User Workflow for Denominator 2	20
Document Tobacco User Status.....	20
List of Values for Denominator 2.....	22
User Workflow for Denominator Exclusions 1, 2, and 3	24
Document Hospice Services.....	24
Interim History, NextGen Enterprise EHR 6.2021.1 (with Patch 79) and Higher.....	24
Add/Edit Alerts Window, NextGen Enterprise EHR 6.2021.1 (with Patch 79) and Higher.....	25
SNOMED Type Window, NextGen Adaptive Content Engine 8.4.x and Higher.....	26
Screening Tools Log Window, NextGen Enterprise EHR 6.2021.1 (with Patch 79) and Higher.....	27
Cm Functional Status Input Window, NextGen Enterprise EHR 6.2021.1 (with Patch 79) and Higher.....	28
List of Values for Denominator Exclusions 1, 2, and 3.....	29
User Workflow for Numerator 1	31
Document Tobacco Status.....	31
List of Values for Numerator 1.....	32
User Workflow for Numerator 2	36
Document Tobacco Cessation Counseling.....	36
List of Values for Numerator 2.....	37
User Workflow for Numerator 3	40
Document Tobacco Status.....	40
Document Tobacco Cessation Counseling.....	42
List of Values for Numerator 3.....	43
User Workflow for Numerator Exclusions	49
Analysis of Specification	50
Initial Population 1, 2, and 3.....	50
Denominator 1.....	51
Denominator Exclusions 1, 2, and 3.....	52
Numerator 1.....	52

Numerator Exclusion 1, 2, and 3.....	53
Denominator Exception 1, 2, and 3.....	53
Stratification 1, 2, and 3.....	53
Denominator 2.....	53
Numerator 2.....	53
Denominator 3.....	54
Numerator 3.....	54
Special Considerations	56
Assumptions	57
References	58
Add SNOMED Visit Codes to Finalize	58
Screening Tools Log Configuration.....	60
CRS 2.0 Configuration.....	60
NextGen HQM Data Assumptions	62

Overview

Measure Name

CMS 138 v13: Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention

Description

Percentage of patients aged 12 years and older who were screened for tobacco use one or more times during the measurement period and who received tobacco cessation intervention during the measurement period or in the six months prior to the measurement period if identified as a tobacco user.

Three rates are reported:

- Percentage of patients aged 12 years and older who were screened for tobacco use one or more times the measurement period.
- Percentage of patients aged 12 years and older who were identified as a tobacco user during the measurement period who received tobacco cessation intervention during the measurement period or in the six months prior to the measurement period.
- Percentage of patients aged 12 years and older who were screened for tobacco use one or more times during the measurement period AND who received tobacco cessation intervention during the measurement period or in the six months prior to the measurement period if identified as a tobacco user.

Definition

Tobacco Use - Includes any type of tobacco

The 2021 USPSTF recommendation references the US Food and Drug Administration definition of tobacco which includes “any product made or derived from tobacco intended for human consumption (except products that meet the definition of drugs), including, but not limited to, cigarettes, cigars (including cigarillos and little cigars), dissolvables, hookah tobacco, nicotine gels, pipe tobacco, roll-your-own tobacco, smokeless tobacco products (including dip, snuff, snus, and chewing tobacco), vapes, electronic cigarettes (e-cigarettes), hookah pens, and other electronic nicotine delivery systems.”

The 2021 USPSTF recommendation describes smoking as generally referring to “the inhaling and exhaling of smoke produced by combustible tobacco products such as cigarettes, cigars, and pipes.”

The 2021 USPSTF recommendation describes vaping as “the inhaling and exhaling of aerosols produced by e-cigarettes.” In addition, it states, “vaping products (that is, e-cigarettes) usually contain nicotine, which is the addictive ingredient in tobacco. Substances other than tobacco can also be used to smoke or vape. While the 2015 USPSTF recommendation statement used

the term ‘electronic nicotine delivery systems’ or ‘ENDS,’ the USPSTF recognizes that the field has shifted to using the term ‘e-cigarettes’ (or ‘e-cigs’) and uses the term e-cigarettes in the current recommendation statement. e-Cigarettes can come in many shapes and sizes, but generally they heat a liquid that contains nicotine (the addictive drug in tobacco) to produce an aerosol (or ‘vapor’) that is inhaled (‘vaped’) by users.”

Tobacco Cessation Intervention - Includes brief counseling (3 minutes or less), and/or pharmacotherapy.

Note: Concepts aligned with brief counseling (for example, minimal and intensive advice/counseling interventions conducted both in person and over the phone) are included in the value set for the numerator. Other concepts such as written self-help materials (for example, brochures, pamphlets) and complementary/alternative therapies are not included in the value set and do not qualify for the numerator. Counseling also may be of longer duration or be performed more frequently, as evidence shows that higher-intensity interventions are associated with higher tobacco cessation rates (U.S. Preventive Services Task Force, 2021).

Guidance

The requirement of two or more visits is to establish that the eligible clinician has an existing relationship with the patient for certain types of encounters.

To satisfy the intent of this measure, a patient must have at least one tobacco use screening during the measurement period. If a patient has multiple tobacco use screenings during the measurement period, only the most recent screening, which has a documented status of tobacco user or tobacco non-user, will be used to satisfy the measure requirements.

If a patient uses any type of tobacco (for example, smokes or uses smokeless tobacco), the expectation is that they should receive tobacco cessation intervention: either counseling and/or pharmacotherapy.

As noted in the 2021 USPSTF recommendation statement, the current evidence is insufficient to recommend electronic cigarettes (e-cigarettes) for tobacco cessation. However, as noted in the *Definition* section, the 2021 USPSTF recommendation also references the US Food and Drug Administration definition of tobacco, which includes e-cigarettes, hookah pens and other electronic nicotine delivery systems. Therefore, the measure does consider the use of e-cigarettes and other electronic nicotine delivery systems to be tobacco use.

If a patient’s tobacco use status of a patient is unknown, the patient does not meet the screening requirement and does not meet the numerator for Populations 1 or 3. Instances where tobacco use status of "unknown" include: 1) the patient was not screened; or 2) the patient was screened and the patient (or caregiver) was unable to provide a definitive answer.

In order to promote a team-based approach to patient care, the tobacco cessation intervention can be performed by another healthcare provider; therefore, the tobacco use screening and tobacco cessation intervention do not need to be performed by the same provider or clinician.

This measure contains three reporting rates which aim to identify patients who were screened for tobacco use (rate/Population 1), patients who were identified as tobacco users and who received a tobacco cessation intervention (rate/Population 2), and a comprehensive look at the overall performance on tobacco screening and cessation intervention (rate/Population 3). By separating this measure into various reporting rates, the eligible clinician will be able to better ascertain where gaps in performance exist and identify opportunities for improvement. The overall rate (rate/Population 3) can be utilized to compare performance to published versions of this measure prior to the 2018 performance year, when the measure had a single performance rate. For accountability reporting in the CMS MIPS program, the rate for population 2 is used for performance.

The denominator of population criteria 2 is a subset of the resulting numerator for population criteria 1, as population criteria 2 is limited to assessing if patients identified as tobacco users received an appropriate tobacco cessation intervention. For all patients, population criteria 1 and 3 are applicable, but population criteria 2 will only be applicable for those patients who are identified as tobacco users. Therefore, data for every patient that meets the Initial Population criteria will only be submitted for Population 1 and 3, whereas data submitted for Population 2 will be for a subset of patients who meet the Initial Population criteria, as the denominator has been further limited to those who were identified as tobacco users.

This eCQM is a patient-based measure.

This version of the eCQM uses QDM version 5.6. For more information on the QDM, refer to the eCQI resource center (<https://ecqi.healthit.gov/qdm>).

Note: This eCQM contains Medicare telehealth-eligible codes found in encounter value sets, which can be used for in-person or telehealth encounters.

Reporting Period

January 1st, 20xx to December 31st, 20xx

NextGen HQM Supported Versions

The NextGen[®] HQM supported versions are the following:

- NextGen[®] Adaptive Content Engine 8.4.x and higher
- NextGen[®] Enterprise EHR Cures 6.2021.1 (with Patch 79) and higher

Note: Within each workflow, you must verify the specific NextGen Adaptive Content Engine or NextGen Enterprise EHR versions required.

NextGen HQM Supported Browsers

NextGen Healthcare supports the following third-party web browsers for NextGen HQM:

- Google Chrome[™]: current plus one previous major version
 - Windows[®], macOS[®], iOS[®], Android[™]
- Microsoft Edge[®] for Windows 10: current plus one previous version
 - Windows, macOS, iOS, Android
- Firefox[®]: current plus one previous major version
 - Windows, macOS, iOS, Android
- Safari[®]: current plus one previous major version
 - Windows, macOS, iOS, Android

3. Select **Save & Close**.

4. Save the template.

See Also

- [List of Values for Initial Population 1, 2, and 3](#)

List of Values for Initial Population 1, 2, and 3

CPT

List of Annual Wellness Visit CPT Codes		
G0438	G0439	G0402

List of Health Behavior Assessment - Reassessment Direct Reference CPT Code
96156

List of Health Behavior Intervention, Individual, face to face- Initial 30 minutes – Direct Reference CPT Code
96158

List of Home Healthcare Services CPT Codes					
99341	99342	99344	99345	99347	99348
99349	99350				

List of Nutrition Services CPT Codes					
97802	97803	97804	G0270	G0271	G0447
S9449	S9452	S9470			

List of Occupational Therapy Evaluation CPT Codes			
97165	97166	97167	97168

List of Office Visit CPT Codes					
99202	99203	99204	99205	99212	99213

List of Office Visit CPT Codes

99214	99215				
-------	-------	--	--	--	--

List of Virtual Encounter CPT Codes

98970	98971	98972	99421	99422	99423
99458	G0071	G2010	G2012	98980	98981
99457	G2250	G2252			

List of Ophthalmological Services CPT Codes

92002	92004	92012	92014
-------	-------	-------	-------

List of Physical Therapy Evaluation CPT Codes

97161	97162	97163	97164
-------	-------	-------	-------

List of Postoperative follow-up visit, normally included in the surgical package, to indicate that an evaluation and management service is performed during a postoperative period for reasons related to the original procedure Direct Reference CPT Code

99024

List of Preventive Care Services - Initial Office Visit, 0-17 CPT Codes

99381	99382	99383	99384
-------	-------	-------	-------

List of Preventive Care Services - Established Office Visit, 18 and Up CPT Codes

99395	99396	99397
-------	-------	-------

List of Preventive Care Services - Group Counseling CPT Codes

99411	99412
-------	-------

List of Preventive Care Services - Individual Counseling CPT Codes

99401	99402	99403	99404
-------	-------	-------	-------

List of Preventive Care Services - Initial Office Visit, 18 and Up CPT Codes

99385	99386	99387
-------	-------	-------

List of Psych Visit - Diagnostic Evaluation CPT Codes

90791	90792
-------	-------

List of Psych Visit - Psychotherapy CPT Codes

90832	90834	90837
-------	-------	-------

List of Psychoanalysis CPT Codes

90845

List of Speech and Hearing Evaluation CPT Codes

92521	92522	92523	92524	92540	92557
92625					

List of Telephone Visits CPT Codes

98966	98967	98968	99441	99442	99443
-------	-------	-------	-------	-------	-------

List of Unlisted Preventive Medicine Service Direct Reference CPT Code

99429

SNOMED**List of Annual Wellness Visit SNOMED Codes**

Description	Code
Annual wellness visit (procedure)	444971000124105
Medicare Annual Wellness Visit (procedure)	456201000124103

List of Annual Wellness Visit SNOMED Codes	
Description	Code
Periodic reevaluation and management of healthy individual (procedure)	86013001
Initial evaluation and management of healthy individual (procedure)	90526000
Annual visit (procedure)	866149003

List of Preventive Care Services - Initial Office Visit, 0-17 SNOMED Codes			
99391	99392	99393	99394

List of Nutrition Services SNOMED Codes	
Description	Code
Diet education (procedure)	11816003
Dietary education for cardiovascular disorder (procedure)	14051000175103
High fiber diet education (procedure)	183059007
Low residue diet education (procedure)	183060002
Low fat diet education (procedure)	183061003
Low cholesterol diet education (procedure)	183062005
Low salt diet education (procedure)	183063000
Low carbohydrate diet education (procedure)	183065007
Low protein diet education (procedure)	183066008
High protein diet education (procedure)	183067004
Vegetarian diet education (procedure)	183070000
Vegan diet education (procedure)	183071001
Food hygiene education (procedure)	226067002
Weight-reducing diet education (procedure)	266724001
Weight loss advised (situation)	275919002
Sugar-free diet education (procedure)	281085002
Obesity diet education (procedure)	284352003
Seen by dietetics service (finding)	305849009
Seen by community-based dietetics service (finding)	305850009
Seen by hospital-based dietetics service (finding)	305851008

List of Nutrition Services SNOMED Codes	
Description	Code
Referral to dietetics service (procedure)	306163007
Referral to community-based dietetics service (procedure)	306164001
Referral to hospital-based dietetics service (procedure)	306165000
Discharge from dietetics service (procedure)	306626002
Discharge from hospital dietetics service (procedure)	306627006
Discharge from community dietetics service (procedure)	306628001
Fluid intake education (procedure)	313210009
Dietary needs education (procedure)	370847001
Prescribed diet education (procedure)	386464006
Weight gain advised (situation)	404923009
Enteral feeding education (procedure)	408910007
Nutrition care education (procedure)	410171007
Special diet education (procedure)	410177006
Weight control education (procedure)	410200000
Referral to nutrition professional (procedure)	428461000124101
Vitamin K dietary intake education (procedure)	428691000124107
Dietary education for weight gain (procedure)	429095004
Dietary education for competitive athlete (procedure)	431482008
Counseling about nutrition (procedure)	441041000124100
Counseling about nutrition using cognitive-behavioral theoretical approach (procedure)	441201000124108
Counseling about nutrition using health belief model (procedure)	441231000124100
Counseling about nutrition using social learning theory approach (procedure)	441241000124105
Counseling about nutrition using transtheoretical model and stages of change approach (procedure)	441251000124107
Counseling about nutrition using motivational interviewing strategy (procedure)	441261000124109
Counseling about nutrition using goal setting strategy (procedure)	441271000124102
Counseling about nutrition using self-monitoring strategy (procedure)	441281000124104
Counseling about nutrition using problem solving strategy (procedure)	441291000124101
Counseling about nutrition using social support strategy (procedure)	441301000124100

List of Nutrition Services SNOMED Codes	
Description	Code
Counseling about nutrition using stress management strategy (procedure)	441311000124102
Counseling about nutrition using stimulus control strategy (procedure)	441321000124105
Counseling about nutrition using cognitive restructuring strategy (procedure)	441331000124108
Counseling about nutrition using relapse prevention strategy (procedure)	441341000124103
Counseling about nutrition using rewards and contingency management strategy (procedure)	441351000124101
Lifestyle education regarding diet (procedure)	443288003
Nutrition-related skill education (procedure)	445291000124103
Content-related nutrition education (procedure)	445301000124102
Nutrition-related laboratory result interpretation education (procedure)	445331000124105
Technical nutrition education (procedure)	445641000124105
Educated about weight management (situation)	609104008
Nutrition education (procedure)	61310001
Patient advised about weight management (situation)	698471002
Dietary education about fluid restriction (procedure)	699827002
High energy diet education (procedure)	699829004
Food fortification education (procedure)	699830009
Healthy eating education (procedure)	699849008
Seen in weight management clinic (finding)	700154005
Dietary education about vitamin intake (procedure)	700258004
Diet education about mineral intake (procedure)	705060005
Education about eating pattern (procedure)	710881000

List of Occupational Therapy Evaluation SNOMED Codes	
Description	Code
Occupational therapy home visit (regime/therapy)	228653003
Occupational therapy assessment (procedure)	410155007
Occupational therapy education (procedure)	410156008

List of Occupational Therapy Evaluation SNOMED Codes	
Description	Code
Occupational therapy management (procedure)	410157004
Occupational therapy surveillance (regime/therapy)	423602000
Occupational therapy education, guidance, counseling (procedure)	424574000
Occupational social therapy (regime/therapy)	59694001
Occupational therapy (regime/therapy)	84478008

List of Ophthalmological Services SNOMED Codes	
Description	Code
Ophthalmologic examination and evaluation under general anesthesia, limited (procedure)	359960003
Ophthalmic examination and evaluation (procedure)	36228007
Ophthalmic examination and evaluation, follow-up (procedure)	66902005
Comprehensive eye examination (procedure)	78831002

List of Office Visit SNOMED Codes	
Description	Code
Visit out of hours (procedure)	185463005
Out of hours visit - not night visit (procedure)	185464004
Weekend visit (procedure)	185465003
Office visit for pediatric care and assessment (procedure)	3391000175108
Postoperative follow-up visit (procedure)	439740005

List of Physical Therapy Evaluation SNOMED Codes	
Description	Code
Combined physical therapy (regime/therapy)	183326003
Physical therapy assessment (procedure)	410158009
Physical therapy education (procedure)	410159001
Physical therapy management (procedure)	410160006
Physical therapy education, guidance and counseling (procedure)	424203006
Physical therapy surveillance (regime/therapy)	424291000

List of Home Healthcare Services SNOMED Codes	
Description	Code
Home visit request by patient (procedure)	185460008
Home visit request by relative (procedure)	185462000
Home visit for urgent condition (procedure)	185466002
Home visit for acute condition (procedure)	185467006
Home visit for chronic condition (procedure)	185468001
Home visit elderly assessment (procedure)	185470005
Joint home visit (procedure)	225929007
Bank holiday home visit (procedure)	315205008
Home visit (procedure)	439708006
Home visit for rheumatology service (procedure)	698704008
Home visit for anticoagulant drug monitoring (procedure)	704126008

List of Psych Visit - Diagnostic Evaluation SNOMED Codes	
Description	Code
Psychiatric interview and evaluation (procedure)	10197000
Diagnostic psychiatric interview (procedure)	165172002
Interactive medical psychiatric diagnostic interview (procedure)	68338001
Initial psychiatric interview with mental status and evaluation (procedure)	79094001

List of Psych Visit - Psychotherapy SNOMED Codes	
Description	Code
General psychotherapy (regime/therapy)	183381005
Psychotherapy - behavioral (regime/therapy)	183382003
Psychotherapy - cognitive (regime/therapy)	183383008
Individual psychotherapy (regime/therapy)	18512000
Long-term psychodynamic psychotherapy (regime/therapy)	302242004
Developmental psychodynamic psychotherapy (regime/therapy)	304820009
Psychodynamic-interpersonal psychotherapy (regime/therapy)	304822001
Psychodynamic psychotherapy (regime/therapy)	314034001

List of Psych Visit - Psychotherapy SNOMED Codes	
Description	Code
Client-centered psychotherapy (regime/therapy)	38678006
Brief solution focused psychotherapy (regime/therapy)	401157001
Interpersonal psychotherapy (regime/therapy)	443730003
Psychotherapy (regime/therapy)	75516001
Social psychotherapy (regime/therapy)	90102008

List of Psychoanalysis SNOMED Codes	
Description	Code
Psychoanalysis in depth (procedure)	28988002
Psychoanalysis (procedure)	61436009

List of Speech and Hearing Evaluation SNOMED Codes	
Description	Code
Medical evaluation for speech, language and/or hearing problems (regime/therapy)	26342005
Medical evaluation of hearing problem (procedure)	41375007
Medical evaluation of speech, language and hearing problem (procedure)	77837000
Special audiologic evaluation for functional hearing loss (procedure)	91515000

List of Telephone Visits SNOMED Codes	
Description	Descriptions
Telephone encounter (procedure)	185317003
Telephone contact by consultant (procedure)	314849005
Telephone consultation (procedure)	386472008
Telephone follow-up (procedure)	386473003
Telephone triage encounter (procedure)	401267002

User Workflow for Denominator 1 and 3

Denominator 1 and 3 are equal to the initial population 1, 2, and 3.

User Workflow for Denominator 2

The denominator 2 criteria is also included in the initial population 1, 2, and 3. Workflows for this denominator 2 include how to document tobacco status of users.

Document Tobacco User Status

You can use the **Social History - Tobacco** window, NextGen Adaptive Content Engine 8.4.x and higher.

1. Open the **Histories** template, and then in the **Social** section, select **Tobacco** or **Tobacco/Vaping Use** depending on NextGen Adaptive Content Engine version, and select **Add**. The **Social History – Tobacco** window opens.
2. Select **Yes** for **Have you ever used tobacco?**.
3. Select one of the following qualifying values for **Tobacco use status**:
 - Chain smoker
 - Chews fine cut tobacco
 - Chews loose leaf tobacco
 - Chews plug tobacco
 - Chews products containing tobacco
 - Chews tobacco
 - Chews twist tobacco
 - Cigar Smoker
 - Cigarette smoker
 - Heavy cigarette smoker
 - Heavy cigarette smoker (20-39 cigs/day)
 - Heavy tobacco smoker
 - Light cigarette smoker
 - Light cigarette smoker (1-9 cigs/day)
 - Light tobacco smoker
 - Moderate cigarette smoker
 - Moderate cigarette smoker (10-19 cigs/day)
 - Occasional cigarette smoker
 - Occasional tobacco smoker
 - Pipe smoker
 - Rolls own cigarettes

- Smoker
- Smokes tobacco daily
- Snuff user
- Trivial cigarette smoker
- User of moist powdered tobacco
- Very heavy cigarette smoker
- Very heavy cigarette smoker (40+ cigs/day)

Tobacco use status is required to meet the Tobacco Status criteria.

4. From the **Vaping Use** section, select **Yes** for **Screened for vaping?**.
5. Select the status for vaping use.
6. Select a vaping device type.

Note: This workflow requires user configuration of CRS 2.0 to support accurate reporting. Ensure that mappings are added for the vaping device type to the **Coded Results Mapping** template. For more information, refer to the *CRS 2.0 Configuration* section.

7. Select **OK**.

The screenshot shows the 'Adult Social History' form. The 'Social History' section is active. Under 'Tobacco Use', the 'Vaping Use' section is expanded. The form contains the following fields and options:

- Screened for vaping?**: Radio buttons for Yes (selected) and No.
- Status**: Radio buttons for Current user (selected), Not a current user, and Not documented.
- Duration**: Age started (21) and Age stopped (empty).
- Device type**: Advanced Personal Vaporizer (selected).
- Frequency**: Daily (selected).
- Current strength**: 0.3% (3 mg/ml) (selected).
- Previous strength**: 0.6% (6 mg/ml) (selected).
- Vaping reason**: Radio buttons for Quit smoking, Socializing, and Other (selected).
- Vaping Cessation Information**: Vaping cessation discussed: Radio buttons for Yes and No (No is selected).
- Vaping comments**: A text area for comments.

The 'OK' button is highlighted at the bottom right of the form.

See Also

- [List of Values for Denominator 2](#)

List of Values for Denominator 2

The list of values for this denominator includes the Initial Population 1, 2, and 3, in addition to the following values:

LOINC

List of Tobacco Use Screening LOINC Codes			
39240-7	68535-4	68536-2	72166-2

SNOMED

List of Tobacco User SNOMED Codes	
Description	Code
Tobacco user (finding)	110483000
Light cigarette smoker (1-9 cigs/day) (finding)	160603005
Moderate cigarette smoker (10-19 cigs/day) (finding)	160604004
Heavy cigarette smoker (20-39 cigs/day) (finding)	160605003
Very heavy cigarette smoker (40+ cigs/day) (finding)	160606002
Rolls own cigarettes (finding)	160619003
Snuff user (finding)	228494002
Finding relating to moist tobacco use (finding)	228499007
User of moist powdered tobacco (finding)	228504007
Chews plug tobacco (finding)	228514003
Chews twist tobacco (finding)	228515002
Chews loose leaf tobacco (finding)	228516001
Chews fine cut tobacco (finding)	228517005
Chews products containing tobacco (finding)	228518000
Occasional cigarette smoker (finding)	230059006
Light cigarette smoker (finding)	230060001
Moderate cigarette smoker (finding)	230062009
Heavy cigarette smoker (finding)	230063004
Very heavy cigarette smoker (finding)	230064005
Chain smoker (finding)	230065006
Trivial cigarette smoker (less than one cigarette/day) (finding)	266920004
Occasional tobacco smoker (finding)	428041000124106
Light tobacco smoker (finding)	428061000124105

List of Tobacco User SNOMED Codes	
Description	Code
Heavy tobacco smoker (finding)	428071000124103
Uses moist tobacco occasionally (finding)	449867007
Smokes tobacco daily (finding)	449868002
Uses moist tobacco daily (finding)	449869005
Cigarette smoker (5-9 cigarettes/day) (finding)	450811000124104
Cigarette smoker (1-4 cigarettes/day) (finding)	450821000124107
Moderate smoker (20 or less per day) (finding)	56578002
Heavy smoker (over 20 per day) (finding)	56771006
Cigar smoker (finding)	59978006
Cigarette smoker (finding)	65568007
User of smokeless tobacco (finding)	713914004
Smoker (finding)	77176002
Chews tobacco (finding)	81703003
Pipe smoker (finding)	82302008
Trying to give up using electronic cigarette (finding)	1137691001
Hookah pipe smoker (finding)	698289004
Electronic cigarette user (finding)	722499006
Nicotine-filled electronic cigarette user (finding)	785889008
Uses electronic cigarette daily (finding)	35341000087101
Uses electronic cigarette occasionally (finding)	35371000087109

User Workflow for Denominator Exclusions 1, 2, and 3

Data elements for the denominator exclusions can also be captured in the Procedures and Problems modules and by using the Screening Tools Log Configuration in **System\ Practice** template.

Note:

Ensure that the appropriate LOINC and SNOMED codes are mapped using the Screening Tools Log Configuration in the *References* section.

Workflows for the denominator exclusions include how to document hospice services.

See Also

- [Screening Tools Log Configuration](#)

Document Hospice Services

You can complete the documentation of hospice services using any of the following templates:

- **Interim History**
- **Add/Edit Alerts**
- **SNOMED Type**
- **Screening Tools Log**
- **Cm Functional Status Input**

Note: It is not necessary to document this criterion in all the specified templates to meet the intent of this measure.

Interim History, NextGen Enterprise EHR 6.2021.1 (with Patch 79) and Higher

1. Open the **Histories** template, and then select **Interim History** on the **Medical/Surgical/Interim** panel.
2. Select **hospice** as the encounter type.
3. Enter an admit or discharge date in **Date**.

4. Select **Save**, and then select **Close**.

"Interim History" - [New Record]

*Encounter type: hospice Problem: [Add to Problem List]

Management: Date: / /

Provider: Facility: Admit date: 5/18/2022 Admitted from:

Discharged to: Date: / / Outcome/detail:

Discharge Diagnosis: [Clear]

Comments: [Clear]

[Clear For Add] [Delete] [Save] [Close]

Document Hospice Encounter

Add/Edit Alerts Window, NextGen Enterprise EHR 6.2021.1 (with Patch 79) and Higher

1. On the Patient Information Bar, select **Alerts**.
The **Add/Edit Alerts** window opens.
2. Select the **Hospice Care (regime/therapy)** checkbox, and then select **Save & Close**.

Add/Edit Alerts - Test, Hp323

Chart <input type="checkbox"/> Active Tuberculosis <input type="checkbox"/> Comfort measures (regime/therapy) <input type="checkbox"/> Do not use this Chart <input type="checkbox"/> History of alcohol abuse <input type="checkbox"/> History of drug addiction <input type="checkbox"/> Homosexuality <input checked="" type="checkbox"/> Hospice Care (regime/therapy) <input type="checkbox"/> Show in Red & Bold <input type="checkbox"/> Pop-up for Acknowledgement <input type="checkbox"/> No blood pressure left arm <input type="checkbox"/> No blood pressure right arm <input type="checkbox"/> No blood/blood products <input type="checkbox"/> Palliative care <input type="checkbox"/> Suicidality <input type="checkbox"/> Terminally ill <input type="checkbox"/> Work Restrictions <input type="checkbox"/> Enter Additional Alert	Communication <input type="checkbox"/> Active Management Plan <input type="checkbox"/> Deaf <input type="checkbox"/> Hard of hearing, left ear <input type="checkbox"/> Hard of hearing, right ear <input type="checkbox"/> Hearing Impaired <input type="checkbox"/> Interpreter required <input type="checkbox"/> Legally blind <input type="checkbox"/> Mute <input type="checkbox"/> Visually Impaired <input type="checkbox"/> Enter Additional Alert	Prescribing <input type="checkbox"/> Active Addiction <input type="checkbox"/> No Narcotics <input type="checkbox"/> No Narcotics until seen in the office <input type="checkbox"/> No Refills <input type="checkbox"/> No Refills until seen in the office	Orders <input type="checkbox"/> History of fainting with phlebotomy <input type="checkbox"/> Immunizations Due <input type="checkbox"/> Enter Additional Alert	Confidential <input type="checkbox"/> Abuse <input type="checkbox"/> Adult Protective Services <input type="checkbox"/> Enter Additional Alert
Quality/ACO <input type="checkbox"/> Medicare Care Management <input type="checkbox"/> Research Participant <input type="checkbox"/> Enter Additional Alert	HPAA <input type="checkbox"/> No Information to family <input type="checkbox"/> No sexual information sharing except with patient <input type="checkbox"/> Spouse estranged	Visit <input type="checkbox"/> Ambulance trip required <input type="checkbox"/> Bed-ridden <input type="checkbox"/> Discharged from practice	Ophthalmology <input type="checkbox"/> Allergic to Fluorescein <input type="checkbox"/> Do not dilate <input type="checkbox"/> No Refraction Today	Cardiology <input type="checkbox"/> Advanced Directive <input type="checkbox"/> Carelink <input type="checkbox"/> Carelink - Declined

Please scroll to view all Alerts.

Manage Practice Alerts [Save & Close] [Cancel]

Document Hospice

SNOMED Type Window, NextGen Adaptive Content Engine 8.4.x and Higher

Before You Begin

This workflow requires a minimum version of 8.4.4.x and higher user configuration for accurate reporting. Ensure that mappings are added to **System/Practice** template. For more information, refer to the Add SNOMED Visit Codes to Finalize section.

1. Open the **Finalize** template, and then select the **SNOMED Type (optional)** link.
2. Select a qualifying list of hospice encounter SNOMED code from List of Values.
3. Select **Save & Close**.

The screenshot shows the NextGen Adaptive Content Engine interface. The top navigation bar includes tabs for Intake, Histories, SOAP, Finalize, and Checkout. The 'Finalize' tab is active. Below the navigation bar, there are sections for 'Care Guidelines', 'Global Days', and 'Virtual Visit Billing'. The 'General' section shows 'Established patient' and 'New patient' options. The 'Today's Assessment' section is visible. A modal window titled 'SNOMED Type' is open, displaying a list of SNOMED codes. The code 'Admission to hospice (procedure)' is selected. A red box highlights the text 'Document Hospice Encounter' within the modal. The 'Save & Close' button is highlighted in red. The bottom of the modal shows 'Selected SNOMED CT: Admission to hospice (procedure)' and 'Visit code field'.

See Also

- [List of Values for Denominator Exclusions 1, 2, and 3](#)
- [Add SNOMED Visit Codes to Finalize](#)

Screening Tools Log Window, NextGen Enterprise EHR 6.2021.1 (with Patch 79) and Higher

Before You Begin

Before you use this workflow, you must configure the screening tool in **System\Practice** template from **Data Sets Setup** in **Screening Tools Log Configuration**. Ensure that the appropriate LOINC and SNOMED codes by using *Screening Tools Log Configuration* in the *Reference* section.

1. Open the **Intake** template, and then select any specialty and visit type.
2. Select **Screening Tool** from the navigation bar.
The **Screening Tools** window opens.
3. From the **Screening Tools Available** list, select **Hospice Care Assessment**.

12/13/2022 09:47 AM: "Screening Tools" x

Screening Tools Available 48 records

Screening Tool

- 24-Hour Migraine Quality of Life Questionnaire (24-Hr-MQOL-Q)
- Abbreviated Mental Test (AMT)
- W ACS NSQIP Surgical Risk Calculator
- T Adverse Childhood Experiences (ACE-Q)
- W ASCVD 10 Year Risk
- T AUDIT Screening Instrument
- T AUDIT-C Screening Instrument
- W Bipolar Spectrum Diagnostic Scale (BSDS)
- T CAGE Alcohol Screening
- T CHA2DS2 VASc Screening
- Clock Drawing Test (CDT)
- T Custom Screening Tool Example
- T Drug Abuse Screening Test (DAST)
- T Edinburgh Postnatal Depression Scale
- T Framingham CHD 10 year risk
- W FRAX Fracture Risk Assessment Tool
- Functional Assessment Screening Tool (FAST)
- General Practitioner Assessment of Cognition (GPCOG)
- T Generalized Anxiety Disorder - 7 (GAD-7)
- T Geriatric Depression Scale (GDS)
- W Goldberg Depression Questionnaire
- W Hamilton Anxiety Scale (HAM-A)
- W Hamilton Rating Scale for Depression (HAM-D)
- T Health Assessment Questionnaire Disability Index (HAQ-Di)
- Hospice Care Assessment**
- T Hwajek-Sengstock Elder Abuse Screening Test (H-S/EAST)
- Lawton Instrumental Activities of Daily Living (IADL)
- T Major Depression Inventory (MDI-10)
- Migraine Specific Quality of Life (MSQOL)
- Migraine Specific Quality of Life Questionnaire (MSQOL)
- Mini Mental State Exam (MMSE)
- Mini-Cog

* - Used during the current encounter
T - Template screening tool
W - Website screening tool

Screening Instrument: Hospice Care Assessment *Performed Date: 12/13/2022 Score: Severity/Interpretation:

Comments:

Major Depressive Disorder (MDD) pre-treatment classification:

Plan:

Health Promotion Plan | Care plan | A/P details | Referrals

Billing Procedure Modifier 1 Modifier 2 Diagnosis Code Submit to Superbill

See scanned document Add Update Clear

Screening Tools Performed

Encounter Date	Performed Date	Screening Tool	Score	Severity/Interpretation

Edit Remove

4. Enter the performed date.

Note: You must enter the details in **Score** or **Severity/Interpretation** for configuring the workflow.

5. Select **Add**.

See Also

- [Screening Tools Log Configuration](#)

Cm Functional Status Input Window, NextGen Enterprise EHR 6.2021.1 (with Patch 79) and Higher

Before You Begin

This workflow requires a minimum of NextGen Enterprise EHR 6.2021.1 and user configuration of CRS 2.0 to support accurate reporting. Ensure that mappings are added to **Coded Results Mapping** template. For more information, refer to the *CRS 2.0 Configuration* section.

1. Open the **Intake** template, and select the **Care Management** specialty and **Care Management** visit type.
2. Select the **Functional Status** tab.
The **Cm Functional Status** template opens.
3. In the **Functional Status Summary** section, select **Add/Update**.
The **Cm Functional Status Input** window opens.
4. In the **Home Support** section, select the **Hospice** checkbox.
5. Select **OK**.

The screenshot shows the 'Cm Functional Status Input' window. A red box highlights the 'Hospice' checkbox in the 'Home Support' section, with a red arrow pointing to it and the text 'Document Patient is in Hospice'. The 'OK' button at the bottom right is also highlighted with a red box.

See Also

- [CRS 2.0 Configuration](#)

List of Values for Denominator Exclusions 1, 2, and 3

CPT

List of Hospice Care Ambulatory CPT Codes		
99377	99378	G0182
170935008	170936009	

List of Hospice Encounter CPT Codes					
G9473	G9474	G9475	G9476	G9477	G9478
G9479	Q5003	Q5004	Q5005	Q5006	Q5007
Q5008	Q5010	S9126	T2042	T2043	T2044
T2045	T2046				

LOINC

List of Hospice Care [Minimum Data Set] Direct Reference LOINC Code
45755-6

SNOMED

List of Discharge to Healthcare facility for hospice care (procedure) Direct Reference SNOMED Code
428371000124100

List of Discharge to Home for hospice care (procedure) Direct Reference SNOMED Code
428361000124107

List of Encounter Inpatient SNOMED Codes		
183452005	32485007	8715000

List of Hospice Care Ambulatory SNOMED Codes		
385763009	385765002	

List of Hospice Diagnosis SNOMED Codes

170935008	170936009	305911006
-----------	-----------	-----------

List of Hospice Encounter SNOMED Codes

Description	Code
Urgent admission to hospice (procedure)	183919006
Routine admission to hospice (procedure)	183920000
Admission to hospice for respite (procedure)	183921001
Admission to hospice (procedure)	305336008
Seen in hospice (finding)	305911006
Hospice care management (procedure)	385765002

List of Yes (qualifier value) Direct Reference SNOMED Code

373066001

User Workflow for Numerator 1

Workflows for the numerator 1 for this measure include how to document tobacco status.

Document Tobacco Status

You can use the **Social History-Tobacco** window, NextGen Adaptive Content Engine 8.4.x and higher.

1. In the **Histories** template, under the **Social** section, select **Tobacco** or **Tobacco/Vaping Use** depending on NextGen Adaptive Content Engine version, and then select **Add**. The **Social History – Tobacco** window opens.

Social History - Tobacco

Panel Control: Toggle Cycle

Tobacco Use

Have you ever used tobacco? ☐ No/never ☒ Yes ☐ Unknown Exclusions Reviewed Updated: 11/22/2017

Smoking Tobacco Use

Tobacco type: ☒ Cigarette ☐ Cigarillo ☐ Cigar ☐ Pipe

Use daily: ☐ Usage per day: Packs: Years: Age:

Non-Smoking Tobacco Use

Use daily: ☐ Usage per day: Packs: Years: Age:

Smoking status: Current some day smoker Tobacco use status: Occasional cigarette smoker

Historical Use

Click here to see tobacco history prior to 7.9.1

Encounter Date	Tobacco Type	Usage Per Day	Years Used	Pack Year	Status	Age Started	Age Stopped
11/22/2017					Never smoker		

Efforts To Quit Tobacco Vaping Use Passive Exposure

OK Cancel

2. Do one of the following:
 - In **Have you ever used tobacco**, select **Yes**, and do the following:
 - In **Tobacco use status**, select a qualifying value.
 - In **Vaping Use**, select **Status**, in **Screened for vaping?**, select **Yes**, and then in **Device type**, select any value from the list.

Note: This workflow requires user configuration of CRS 2.0 to support accurate reporting. You must ensure that mappings are added for the vaping device type in the **Coded Results Mapping** template. For more information, refer to *CRS 2.0 configuration*.

- In **Have you ever used tobacco**, select **No**.

3. Select **OK**.

Tobacco use status is required to meet the tobacco status criteria.

See Also

- [List of Values for Numerator 1](#)

List of Values for Numerator 1

LOINC

List of Tobacco Use Screening LOINC Codes			
39240-7	68535-4	68536-2	72166-2

SNOMED

List of Tobacco User SNOMED Codes	
Description	Code
Tobacco user (finding)	110483000
Light cigarette smoker (1-9 cigs/day) (finding)	160603005
Moderate cigarette smoker (10-19 cigs/day) (finding)	160604004
Heavy cigarette smoker (20-39 cigs/day) (finding)	160605003
Very heavy cigarette smoker (40+ cigs/day) (finding)	160606002
Rolls own cigarettes (finding)	160619003
Snuff user (finding)	228494002
Finding relating to moist tobacco use (finding)	228499007
User of moist powdered tobacco (finding)	228504007
Chews plug tobacco (finding)	228514003
Chews twist tobacco (finding)	228515002
Chews loose leaf tobacco (finding)	228516001
Chews fine cut tobacco (finding)	228517005
Chews products containing tobacco (finding)	228518000
Occasional cigarette smoker (finding)	230059006

List of Tobacco User SNOMED Codes	
Description	Code
Light cigarette smoker (finding)	230060001
Moderate cigarette smoker (finding)	230062009
Heavy cigarette smoker (finding)	230063004
Very heavy cigarette smoker (finding)	230064005
Chain smoker (finding)	230065006
Trivial cigarette smoker (less than one cigarette/day) (finding)	266920004
Occasional tobacco smoker (finding)	428041000124106
Light tobacco smoker (finding)	428061000124105
Heavy tobacco smoker (finding)	428071000124103
Uses moist tobacco occasionally (finding)	449867007
Smokes tobacco daily (finding)	449868002
Uses moist tobacco daily (finding)	449869005
Cigarette smoker (5-9 cigarettes/day) (finding)	450811000124104
Cigarette smoker (1-4 cigarettes/day) (finding)	450821000124107
Moderate smoker (20 or less per day) (finding)	56578002
Heavy smoker (over 20 per day) (finding)	56771006
Cigar smoker (finding)	59978006
Cigarette smoker (finding)	65568007
User of smokeless tobacco (finding)	713914004
Smoker (finding)	77176002
Chews tobacco (finding)	81703003
Pipe smoker (finding)	82302008
Trying to give up using electronic cigarette (finding)	1137691001
Hookah pipe smoker (finding)	698289004
Electronic cigarette user (finding)	722499006
Nicotine-filled electronic cigarette user (finding)	785889008
Uses electronic cigarette daily (finding)	35341000087101
Uses electronic cigarette occasionally (finding)	35371000087109

List of Tobacco Non-User SNOMED Codes	
Description	Code
Non-smoker for personal reasons (finding)	105539002
Non-smoker for religious reasons (finding)	105540000
Non-smoker for medical reasons (finding)	105541001
Ex-pipe smoker (finding)	160620009
Ex-cigar smoker (finding)	160621008
Does not use snuff (finding)	228491005
Never used snuff (finding)	228492003
Ex-snuff user (finding)	228493008
Does not use moist powdered tobacco (finding)	228501004
Never used moist powdered tobacco (finding)	228502006
Ex-user of moist powdered tobacco (finding)	228503001
Does not chew tobacco (finding)	228511006
Never chewed tobacco (finding)	228512004
Ex-tobacco chewer (finding)	228513009
Never smoked tobacco (finding)	266919005
Ex-trivial cigarette smoker (<1/day) (finding)	266921000
Ex-light cigarette smoker (1-9/day) (finding)	266922007
Ex-moderate cigarette smoker (10-19/day) (finding)	266923002
Ex-heavy cigarette smoker (20-39/day) (finding)	266924008
Ex-very heavy cigarette smoker (40+/day) (finding)	266925009
Ex-cigarette smoker amount unknown (finding)	266928006
Ex-cigarette smoker (finding)	281018007
Intolerant ex-smoker (finding)	360890004
Aggressive ex-smoker (finding)	360900008
Aggressive non-smoker (finding)	360918006
Intolerant non-smoker (finding)	360929005
Current non smoker but past smoking history unknown (finding)	405746006
Former heavy tobacco smoker (finding)	428081000124100
Former light tobacco smoker (finding)	428091000124102
Tobacco non-user (finding)	451371000124109
Smokeless tobacco non-user (finding)	451381000124107

List of Tobacco Non-User SNOMED Codes	
Description	Code
Former smokeless tobacco user (finding)	456711000124105
Ex-smoker for more than 1 year (finding)	48031000119106
Tolerant ex-smoker (finding)	53896009
Ex-tobacco user (finding)	702975009
Never used tobacco (finding)	702979003
Ex-smoker for less than 1 year (finding)	735128000
Non-smoker (finding)	8392000
Ex-smoker (finding)	8517006
Tolerant non-smoker (finding)	87739003
Ex-electronic cigarette user for less than one year (finding)	1137688001
Never used electronic cigarette (finding)	1137690000
Ex-electronic cigarette user for more than one year (finding)	1137692008
Never smoked any substance (finding)	221000119102

User Workflow for Numerator 2

Data elements for the numerator 2 for this measure are also captured in the Procedures, Diagnosis, and Medications modules. Workflows for the numerator 2 include how to document tobacco cessation counseling.

Document Tobacco Cessation Counseling

You can use the **Tobacco Cessation Discussed** window, NextGen Adaptive Content Engine 8.4.x and higher.

1. In the **Histories** template, under the **Social** section, select **Tobacco** or **Tobacco/Vaping Use** depending on NextGen Adaptive Content Engine version, and then select **Add**.
The **Social History – Tobacco** window opens.
2. In the **Efforts to Quit Tobacco** section, select the **Tobacco cessation discussed** checkbox.
The **Tobacco Cessation Discussed** window opens.

Tobacco Cessation Discussed

Tobacco cessation discussion:

Smoking cessation education

Add Update Clear

History of Tobacco Cessation Discussions

Completed Date	Discussion
----------------	------------

Document Tobacco Cessation Counseling

Remove Save & Close Cancel

3. Select a qualifying option for tobacco cessation from the list.
4. To add tobacco cessation counseling to the **History of Tobacco Cessation Discussions** grid, select **Add**.
5. Select **Save & Close**.

See Also

- [List of Values for Numerator 2](#)

List of Values for Numerator 2**CPT**

List of Tobacco Use Cessation Counseling CPT Codes	
99406	99407

ICD

List of Tobacco Abuse Counseling Direct Reference ICD-10 Code
Z71.6

RxNorm

List of Tobacco Use Cessation Pharmacotherapy RxNorm Codes	
Description	Code
12 HR clonidine hydrochloride 0.1 MG Extended Release Oral Tablet	1013930
24 HR bupropion hydrochloride 450 MG Extended Release Oral Tablet	1232585
24 HR phentermine 7.5 MG / topiramate 46 MG Extended Release Oral Capsule	1302827
24 HR phentermine 3.75 MG / topiramate 23 MG Extended Release Oral Capsule	1302839
24 HR phentermine 15 MG / topiramate 92 MG Extended Release Oral Capsule	1302850
24 HR phentermine 11.25 MG / topiramate 69 MG Extended Release Oral Capsule	1313059
24 HR topiramate 50 MG Extended Release Oral Capsule	1436239
24 HR topiramate 25 MG Extended Release Oral Capsule	1437278
24 HR topiramate 100 MG Extended Release Oral Capsule	1437283
24 HR topiramate 200 MG Extended Release Oral Capsule	1437288
Sprinkle 24 HR topiramate 150 MG Extended Release Oral Capsule	1494769
topiramate 50 MG Oral Tablet	151226
12 HR bupropion hydrochloride 90 MG / naltrexone hydrochloride 8 MG Extended Release Oral Tablet	1551468
nicotine 0.5 MG/ACTUAT Metered Dose Nasal Spray	1797886
Smoking Cessation 12 HR bupropion hydrochloride 150 MG Extended Release Oral Tablet	1801289
Sprinkle 24 HR topiramate 200 MG Extended Release Oral Capsule	1812419
Sprinkle 24 HR topiramate 25 MG Extended Release Oral Capsule	1812421

List of Tobacco Use Cessation Pharmacotherapy RxNorm Codes	
Description	Code
Sprinkle 24 HR topiramate 50 MG Extended Release Oral Capsule	1812425
Sprinkle 24 HR topiramate 100 MG Extended Release Oral Capsule	1812427
24 HR nicotine 0.583 MG/HR Transdermal System	198029
24 HR nicotine 0.875 MG/HR Transdermal System	198030
24 HR nicotine 0.292 MG/HR Transdermal System	198031
nortriptyline 10 MG Oral Capsule	198045
nortriptyline 50 MG Oral Capsule	198046
nortriptyline 75 MG Oral Capsule	198047
topiramate 25 MG Oral Tablet	199888
topiramate 100 MG Oral Tablet	199889
topiramate 200 MG Oral Tablet	199890
topiramate 25 MG Oral Capsule	205315
topiramate 15 MG Oral Capsule	205316
nicotine 4 MG Inhalation Solution	250983
nicotine 4 MG Chewing Gum	311975
nortriptyline 2 MG/ML Oral Solution	312036
nicotine 2 MG Chewing Gum	314119
nortriptyline 25 MG Oral Capsule	317136
nicotine 2 MG Oral Lozenge	359817
nicotine 4 MG Oral Lozenge	359818
varenicline 0.5 MG Oral Tablet	636671
varenicline 1 MG Oral Tablet	636676
{11 (varenicline 0.5 MG Oral Tablet) / 42 (varenicline 1 MG Oral Tablet) } Pack	749289
{56 (varenicline 1 MG Oral Tablet) } Pack	749788
{14 (24 HR nicotine 0.292 MG/HR Transdermal System) / 14 (24 HR nicotine 0.583 MG/HR Transdermal System) / 28 (24 HR nicotine 0.875 MG/HR Transdermal System) } Pack	892244
12 HR bupropion hydrochloride 100 MG Extended Release Oral Tablet	993503
12 HR bupropion hydrochloride 150 MG Extended Release Oral Tablet	993518
12 HR bupropion hydrochloride 200 MG Extended Release Oral Tablet	993536
24 HR bupropion hydrochloride 150 MG Extended Release Oral Tablet	993541
24 HR bupropion hydrochloride 300 MG Extended Release Oral Tablet	993557

List of Tobacco Use Cessation Pharmacotherapy RxNorm Codes	
Description	Code
bupropion hydrochloride 100 MG Oral Tablet	993687
bupropion hydrochloride 75 MG Oral Tablet	993691
168 HR clonidine 0.00417 MG/HR Transdermal System	998671
168 HR clonidine 0.00833 MG/HR Transdermal System	998675
168 HR clonidine 0.0125 MG/HR Transdermal System	998679

SNOMED

List of Tobacco Use Cessation Counseling SNOMED Codes	
Description	Code
Pregnancy smoking education (procedure)	171055003
Stop smoking monitoring verbal invite (procedure)	185795007
Stop smoking monitoring telephone invite (procedure)	185796008
Smoking cessation education (procedure)	225323000
Smoking effects education (procedure)	225324006
Smoking monitoring invitation (procedure)	310429001
Referral to stop-smoking clinic (procedure)	315232003
Smoking cessation assistance (regime/therapy)	384742004
Referral to smoking cessation advisor (procedure)	395700008
Referral to tobacco use cessation clinic (procedure)	449841000124108
Referral to tobacco use cessation counselor (procedure)	449851000124105
Referral to tobacco use cessation counseling program (procedure)	449861000124107
Referral to tobacco use quit line (procedure)	449871000124100
Tobacco use cessation education (procedure)	702388001
Smoking cessation therapy (regime/therapy)	710081004
Counseling about tobacco use (procedure)	711028002
Smoking cessation drug therapy (regime/therapy)	713700008
Education about cessation of electronic cigarette use (procedure)	1148687006

User Workflow for Numerator 3

Data elements for the numerator 3 for this measure are also captured in the Procedures, Diagnosis, and Medications modules. Workflows for the numerator 3 include how to:

- Document tobacco status
- Document tobacco cessation counseling

Document Tobacco Status

You can use the **Social History-Tobacco** window, NextGen Adaptive Content Engine 8.4.x and higher.

1. In the **Histories** template, under the **Social** section, select **Tobacco** or **Tobacco/Vaping Use** depending on NextGen Adaptive Content Engine version, and then select **Add**. The **Social History – Tobacco** window opens.

2. Do one of the following:
 - Select **Yes** for the question **Have you ever used tobacco?**
 - a) Select a qualifying value for **Tobacco use status**:
 - **Chain smoker**
 - **Chews fine cut tobacco**

- Chews loose leaf tobacco
- Chews plug tobacco
- Chews products containing tobacco
- Chews tobacco
- Chews twist tobacco
- Cigar Smoker
- Cigarette smoker
- Heavy cigarette smoker
- Heavy cigarette smoker (20-39 cigs/day)
- Heavy tobacco smoker
- Light cigarette smoker
- Light cigarette smoker (1-9 cigs/day)
- Light tobacco smoker
- Moderate cigarette smoker
- Moderate cigarette smoker (10-19 cigs/day)
- Occasional cigarette smoker
- Occasional tobacco smoker
- Pipe smoker
- Rolls own cigarettes
- Smoker
- Smokes tobacco daily
- Snuff user
- Trivial cigarette smoker
- User of moist powdered tobacco
- Very heavy cigarette smoker
- Very heavy cigarette smoker (40+ cigs/day)

- b) From the **Vaping Use** section, select **Yes** for **Screened for vaping?**.
- c) Select the **Status** for vaping use.
- d) Select any value from the list for vaping **Device type**.

Note: This workflow requires user configuration of CRS 2.0 to support accurate reporting. Ensure that mappings are added for Vaping Device type to **Coded Results Mapping** template. For more information, refer to *CRS 2.0 Configuration* section.

- Select **No** for the question **Have you ever used tobacco?**.

3. Select **OK**.

Tobacco use status is required to meet the Tobacco Status criteria.

See Also

- [List of Values for Numerator 3](#)

Document Tobacco Cessation Counseling

You can use the **Tobacco Cessation Discussed** window, NextGen Adaptive Content Engine 8.4.x and higher.

1. In the **Histories** template, under the **Social** section, select **Tobacco** or **Tobacco/Vaping Use** depending on NextGen Adaptive Content Engine version, and then select **Add**.
The **Social History – Tobacco** window opens.
2. In the **Efforts to Quit Tobacco** section, select the **Tobacco cessation discussed** checkbox.
The **Tobacco Cessation Discussed** window opens.

Tobacco Cessation Discussed

Tobacco cessation discussion:

Smoking cessation education

Add Update Clear

History of Tobacco Cessation Discussions

Completed Date	Discussion
Document Tobacco Cessation Counseling	

Remove

Save & Close Cancel

3. Select a qualifying option for **Tobacco Use Cessation Counseling** from the *List of Values for Numerator 3*.
4. To add tobacco cessation counseling to the **History of Tobacco Cessation Discussions** grid, select **Add**.
5. Select **Save & Close**.

See Also

- [List of Values for Numerator 3](#)

List of Values for Numerator 3

CPT

List of Tobacco Use Cessation Counseling CPT Codes	
99406	99407

ICD

List of Tobacco Abuse Counseling Direct Reference ICD-10 Code
Z71.6

LOINC

List of Tobacco Use Screening LOINC Codes			
39240-7	68535-4	68536-2	72166-2

RxNorm

List of Tobacco Use Cessation Pharmacotherapy RxNorm Codes	
Description	Code
12 HR clonidine hydrochloride 0.1 MG Extended Release Oral Tablet	1013930
24 HR bupropion hydrochloride 450 MG Extended Release Oral Tablet	1232585
24 HR phentermine 7.5 MG / topiramate 46 MG Extended Release Oral Capsule	1302827
24 HR phentermine 3.75 MG / topiramate 23 MG Extended Release Oral Capsule	1302839
24 HR phentermine 15 MG / topiramate 92 MG Extended Release Oral Capsule	1302850
24 HR phentermine 11.25 MG / topiramate 69 MG Extended Release Oral Capsule	1313059
24 HR topiramate 50 MG Extended Release Oral Capsule	1436239
24 HR topiramate 25 MG Extended Release Oral Capsule	1437278
24 HR topiramate 100 MG Extended Release Oral Capsule	1437283
24 HR topiramate 200 MG Extended Release Oral Capsule	1437288
Sprinkle 24 HR topiramate 150 MG Extended Release Oral Capsule	1494769
topiramate 50 MG Oral Tablet	151226
12 HR bupropion hydrochloride 90 MG / naltrexone hydrochloride 8 MG Extended Release Oral Tablet	1551468
nicotine 0.5 MG/ACTUAT Metered Dose Nasal Spray	1797886
Smoking Cessation 12 HR bupropion hydrochloride 150 MG Extended Release Oral Tablet	1801289
Sprinkle 24 HR topiramate 200 MG Extended Release Oral Capsule	1812419

List of Tobacco Use Cessation Pharmacotherapy RxNorm Codes	
Description	Code
Sprinkle 24 HR topiramate 25 MG Extended Release Oral Capsule	1812421
Sprinkle 24 HR topiramate 50 MG Extended Release Oral Capsule	1812425
Sprinkle 24 HR topiramate 100 MG Extended Release Oral Capsule	1812427
24 HR nicotine 0.583 MG/HR Transdermal System	198029
24 HR nicotine 0.875 MG/HR Transdermal System	198030
24 HR nicotine 0.292 MG/HR Transdermal System	198031
nortriptyline 10 MG Oral Capsule	198045
nortriptyline 50 MG Oral Capsule	198046
nortriptyline 75 MG Oral Capsule	198047
topiramate 25 MG Oral Tablet	199888
topiramate 100 MG Oral Tablet	199889
topiramate 200 MG Oral Tablet	199890
topiramate 25 MG Oral Capsule	205315
topiramate 15 MG Oral Capsule	205316
nicotine 4 MG Inhalation Solution	250983
nicotine 4 MG Chewing Gum	311975
nortriptyline 2 MG/ML Oral Solution	312036
nicotine 2 MG Chewing Gum	314119
nortriptyline 25 MG Oral Capsule	317136
nicotine 2 MG Oral Lozenge	359817
nicotine 4 MG Oral Lozenge	359818
varenicline 0.5 MG Oral Tablet	636671
varenicline 1 MG Oral Tablet	636676
{11 (varenicline 0.5 MG Oral Tablet) / 42 (varenicline 1 MG Oral Tablet) } Pack	749289
{56 (varenicline 1 MG Oral Tablet) } Pack	749788
{14 (24 HR nicotine 0.292 MG/HR Transdermal System) / 14 (24 HR nicotine 0.583 MG/HR Transdermal System) / 28 (24 HR nicotine 0.875 MG/HR Transdermal System) } Pack	892244
12 HR bupropion hydrochloride 100 MG Extended Release Oral Tablet	993503
12 HR bupropion hydrochloride 150 MG Extended Release Oral Tablet	993518
12 HR bupropion hydrochloride 200 MG Extended Release Oral Tablet	993536
24 HR bupropion hydrochloride 150 MG Extended Release Oral Tablet	993541

List of Tobacco Use Cessation Pharmacotherapy RxNorm Codes	
Description	Code
24 HR bupropion hydrochloride 300 MG Extended Release Oral Tablet	993557
bupropion hydrochloride 100 MG Oral Tablet	993687
bupropion hydrochloride 75 MG Oral Tablet	993691
168 HR clonidine 0.00417 MG/HR Transdermal System	998671
168 HR clonidine 0.00833 MG/HR Transdermal System	998675
168 HR clonidine 0.0125 MG/HR Transdermal System	998679

SNOMED

List of Tobacco Use Cessation Counseling SNOMED Codes	
Description	Code
Pregnancy smoking education (procedure)	171055003
Stop smoking monitoring verbal invite (procedure)	185795007
Stop smoking monitoring telephone invite (procedure)	185796008
Smoking cessation education (procedure)	225323000
Smoking effects education (procedure)	225324006
Smoking monitoring invitation (procedure)	310429001
Referral to stop-smoking clinic (procedure)	315232003
Smoking cessation assistance (regime/therapy)	384742004
Referral to smoking cessation advisor (procedure)	395700008
Referral to tobacco use cessation clinic (procedure)	449841000124108
Referral to tobacco use cessation counselor (procedure)	449851000124105
Referral to tobacco use cessation counseling program (procedure)	449861000124107
Referral to tobacco use quit line (procedure)	449871000124100
Tobacco use cessation education (procedure)	702388001
Smoking cessation therapy (regime/therapy)	710081004
Counseling about tobacco use (procedure)	711028002
Smoking cessation drug therapy (regime/therapy)	713700008
Education about cessation of electronic cigarette use (procedure)	1148687006

List of Tobacco User SNOMED Codes	
Description	Code
Tobacco user (finding)	110483000
Light cigarette smoker (1-9 cigs/day) (finding)	160603005
Moderate cigarette smoker (10-19 cigs/day) (finding)	160604004
Heavy cigarette smoker (20-39 cigs/day) (finding)	160605003
Very heavy cigarette smoker (40+ cigs/day) (finding)	160606002
Rolls own cigarettes (finding)	160619003
Snuff user (finding)	228494002
Finding relating to moist tobacco use (finding)	228499007
User of moist powdered tobacco (finding)	228504007
Chews plug tobacco (finding)	228514003
Chews twist tobacco (finding)	228515002
Chews loose leaf tobacco (finding)	228516001
Chews fine cut tobacco (finding)	228517005
Chews products containing tobacco (finding)	228518000
Occasional cigarette smoker (finding)	230059006
Light cigarette smoker (finding)	230060001
Moderate cigarette smoker (finding)	230062009
Heavy cigarette smoker (finding)	230063004
Very heavy cigarette smoker (finding)	230064005
Chain smoker (finding)	230065006
Trivial cigarette smoker (less than one cigarette/day) (finding)	266920004
Occasional tobacco smoker (finding)	428041000124106
Light tobacco smoker (finding)	428061000124105
Heavy tobacco smoker (finding)	428071000124103
Uses moist tobacco occasionally (finding)	449867007
Smokes tobacco daily (finding)	449868002
Uses moist tobacco daily (finding)	449869005
Cigarette smoker (5-9 cigarettes/day) (finding)	450811000124104
Cigarette smoker (1-4 cigarettes/day) (finding)	450821000124107
Moderate smoker (20 or less per day) (finding)	56578002
Heavy smoker (over 20 per day) (finding)	56771006

List of Tobacco User SNOMED Codes	
Description	Code
Cigar smoker (finding)	59978006
Cigarette smoker (finding)	65568007
User of smokeless tobacco (finding)	713914004
Smoker (finding)	77176002
Chews tobacco (finding)	81703003
Pipe smoker (finding)	82302008
Trying to give up using electronic cigarette (finding)	1137691001
Hookah pipe smoker (finding)	698289004
Electronic cigarette user (finding)	722499006
Nicotine-filled electronic cigarette user (finding)	785889008
Uses electronic cigarette daily (finding)	35341000087101
Uses electronic cigarette occasionally (finding)	35371000087109

List of Tobacco Non-User SNOMED Codes	
Description	Code
Non-smoker for personal reasons (finding)	105539002
Non-smoker for religious reasons (finding)	105540000
Non-smoker for medical reasons (finding)	105541001
Ex-pipe smoker (finding)	160620009
Ex-cigar smoker (finding)	160621008
Does not use snuff (finding)	228491005
Never used snuff (finding)	228492003
Ex-snuff user (finding)	228493008
Does not use moist powdered tobacco (finding)	228501004
Never used moist powdered tobacco (finding)	228502006
Ex-user of moist powdered tobacco (finding)	228503001
Does not chew tobacco (finding)	228511006
Never chewed tobacco (finding)	228512004
Ex-tobacco chewer (finding)	228513009
Never smoked tobacco (finding)	266919005
Ex-trivial cigarette smoker (<1/day) (finding)	266921000

List of Tobacco Non-User SNOMED Codes	
Description	Code
Ex-light cigarette smoker (1-9/day) (finding)	266922007
Ex-moderate cigarette smoker (10-19/day) (finding)	266923002
Ex-heavy cigarette smoker (20-39/day) (finding)	266924008
Ex-very heavy cigarette smoker (40+/day) (finding)	266925009
Ex-cigarette smoker amount unknown (finding)	266928006
Ex-cigarette smoker (finding)	281018007
Intolerant ex-smoker (finding)	360890004
Aggressive ex-smoker (finding)	360900008
Aggressive non-smoker (finding)	360918006
Intolerant non-smoker (finding)	360929005
Current non smoker but past smoking history unknown (finding)	405746006
Former heavy tobacco smoker (finding)	428081000124100
Former light tobacco smoker (finding)	428091000124102
Tobacco non-user (finding)	451371000124109
Smokeless tobacco non-user (finding)	451381000124107
Former smokeless tobacco user (finding)	456711000124105
Ex-smoker for more than 1 year (finding)	48031000119106
Tolerant ex-smoker (finding)	53896009
Ex-tobacco user (finding)	702975009
Never used tobacco (finding)	702979003
Ex-smoker for less than 1 year (finding)	735128000
Non-smoker (finding)	8392000
Ex-smoker (finding)	8517006
Tolerant non-smoker (finding)	87739003
Ex-electronic cigarette user for less than one year (finding)	1137688001
Never used electronic cigarette (finding)	1137690000
Ex-electronic cigarette user for more than one year (finding)	1137692008
Never smoked any substance (finding)	221000119102

User Workflow for Numerator Exclusions

No numerator exclusions are available for this measure.

Analysis of Specification

Initial Population 1, 2, and 3

NextGen Healthcare Analysis	Mapping	Values
Patients aged 12 years or older at the start of the measurement period	Person table	DOB/Age
AND		
<p>Patient with at least two of the following documented qualifying visits during the measurement period</p> <p>Qualifying Encounter:</p> <p>Encounter, Performed: Health & Behavioral Assessment – Intervention – Individual – Face to Face – Initial 30 minutes</p> <p>OR</p> <p>Encounter, Performed: Health and Behavioral Assessment or Reassessment</p> <p>OR</p> <p>Encounter, Performed: Home Healthcare Services</p> <p>OR</p> <p>Encounter, Performed: Occupational Therapy Evaluation</p> <p>OR</p> <p>Encounter, Performed: Office Visit</p> <p>OR</p> <p>Encounter, Performed: Ophthalmological Services</p> <p>OR</p> <p>Encounter, Performed: Physical Therapy Evaluation</p> <p>OR</p> <p>Encounter, Performed: Psych Visit - Diagnostic Evaluation</p> <p>OR</p> <p>Encounter, Performed: Psych Visit – Psychotherapy</p> <p>OR</p> <p>Encounter, Performed: Psychoanalysis</p> <p>OR</p> <p>Encounter, Performed: Speech and Hearing Evaluation</p> <p>OR</p> <p>Encounter, Performed: Telephone Visit</p> <p>OR</p> <p>Encounter Performed – Virtual encounter</p>	<p>Procedures module,</p> <p>SNOMED Visit Type window</p>	List of Values

NextGen Healthcare Analysis	Mapping	Values
OR		
Patient with at least one of the following documented Preventive Visits during the measurement period Preventive Visits: Encounter, Performed: Annual Wellness Visit OR Encounter, Performed: Preventive Care Services - Established Office Visit, 18 and Up OR Encounter, Performed: Preventive Care Services - Initial Office Visit, 18 and Up OR Encounter, Performed: Preventive Care Services, Initial Office Visit, 0 to 17 OR Encounter, Performed: Preventive Care, Established Office Visit, 0 to 17 OR Encounter, Performed: Preventive Care Services - Group Counseling OR Encounter, Performed: Unlisted Preventive Medicine Services OR Encounter, Performed: Preventive Care Services-Individual Counseling OR Encounter, Performed: Postoperative follow-up visit, normally included in the surgical package, to indicate that an evaluation and management service is performed during a postoperative period for reasons related to the original procedure OR Encounter, Performed: Nutrition Services OR Encounter, Performed: Preventive Care Services-Initial Office Visit, 18 and Up	Procedures module, SNOMED Visit Type window	List of Values

Denominator 1

NextGen Healthcare Analysis	Mapping	Values
As defined through *Initial Population criteria		

See Also

- [List of Values for Initial Population 1, 2, and 3](#)

Denominator Exclusions 1, 2, and 3

NextGen Healthcare Analysis	Mapping	Values
Has Hospice Services:		
Documentation of Hospice Encounter overlaps the measurement period	SNOMED Type window, Interim History window, Procedures module	List of Values
OR		
Document of Hospice Care [Minimum Data Set] Assessment performed with Yes (qualifier value) overlaps measurement period	Screening Tools Log	List of Values
OR		
Documentation of Hospice Ambulatory prior to or during the measurement period Note: If hospice is documented through Add/Edit Alerts window (NextGen Enterprise EHR 5.9) prior to or during the measurement period, and status of hospice remains active, then patients meet Denominator Exclusions criteria	Add/Edit Alerts window, Cm Functional Status Input window, Procedures module	List of Values
OR		
Documentation of Hospice Diagnosis overlaps day of measurement period	Problems module	List of Values

Numerator 1

NextGen Healthcare Analysis	Mapping	Values
Patient with documented tobacco screening performed and results indicating Tobacco Non-User during the measurement period.	Social History – Tobacco window	List of Values
OR		
Patient with documented tobacco screening performed and results indicating Tobacco User during the measurement period.		

Numerator Exclusion 1, 2, and 3

NextGen Healthcare Analysis	Mapping	Values
NONE		

Denominator Exception 1, 2, and 3

NextGen Healthcare Analysis	Mapping	Values
NONE		

Stratification 1, 2, and 3

NextGen Healthcare Analysis	Mapping	Values
NONE		

Denominator 2

NextGen Healthcare Analysis	Mapping	Values
As defined through *Initial Population criteria AND Patient with documented tobacco screening performed AND results indicating Tobacco User during the measurement period.	Social History – Tobacco window	List of Values

Numerator 2

NextGen Healthcare Analysis	Mapping	Values
Patient with documented tobacco use cessation counseling performed during the measurement period or in the six months prior to the measurement period	Procedures module, Tobacco Cessation Discussed window	List of Values
OR		
Patients with documented diagnosis for Tobacco Abuse Counseling during the measurement period or in the six months prior to the measurement period	Diagnosis module	List of Values
OR		

NextGen HealthcareAnalysis	Mapping	Values
Patient with documented tobacco use cessation medication ordered during the measurement period or in the six months prior to the measurement period	Medications module	List of Values
OR		
Patient with documented active tobacco use cessation medication taken during the measurement period or in the six months prior to the measurement period Documented tobacco use cessation medication must be active throughout measurement period.	Medications module	List of Values

Denominator 3

NextGen Healthcare Analysis	Mapping	Values
As defined through * Initial Population criteria		

See Also

- [List of Values for Initial Population 1, 2, and 3](#)

Numerator 3

NextGen Healthcare Analysis	Mapping	Values
Patient with documented tobacco screening performed and results indicating Tobacco Non-User during the measurement period.	Social History – Tobacco window	List of Values
OR		
Patient with documented tobacco screening performed and results indicating Tobacco User during the measurement period.	Social History – Tobacco window	List of Values
AND		
Patient with documented tobacco use cessation counseling performed during the measurement period or in the six months prior to the measurement period	Procedures module, Tobacco Cessation Discussed window	List of Values
OR		
Patients with documented diagnosis for Tobacco Abuse Counseling during the measurement period or in the six months prior to the measurement period	Diagnosis module	List of Values

NextGen Healthcare Analysis	Mapping	Values
OR		
Patient with documented tobacco use cessation medication ordered during the measurement period or in the six months prior to the measurement period	Medications module	List of Values
OR		
Patient with documented active tobacco use cessation medication taken during the measurement period or in the six months prior to the measurement period Documented tobacco use cessation medication must be active throughout measurement period.	Medications module	List of Values

Special Considerations

If tobacco use status of a patient is unknown, the patient cannot be counted in the numerator and should be considered a measure failure. Instances where tobacco use status of unknown is recorded include:

- The patient is not screened; OR
- The patient is screened and the patient (or caregiver) is unable to provide a definitive answer.

If a patient uses any type of tobacco (for example, smokes or uses smokeless tobacco), the expectation is that they should receive tobacco cessation: either counseling and/or pharmacotherapy.

- Denominator exceptions criteria for all CQM measures are excluded from the numerator. See CMS definition: Denominator Exceptions (DException): A subset of the denominator. Only those members of the denominator that are considered for numerator membership and are not included are considered for membership in the denominator exceptions.
- This measure reports on unique patients.
- This measure is incremented across the enterprise if enterprise chart is enabled.

Assumptions

For more information on NextGen HQM assumptions, refer to the following link:

https://www.community.nextgen.com/articles/White_Papers/Assumptions-for-Health-Quality-Measures-Portal-Measures-Papers


References

For more information on NextGen HQM, refer to the following links:


- <https://www.nextgen.com/>
- <https://www.community.nextgen.com/>
- <http://www.cms.hhs.gov/>

Add SNOMED Visit Codes to Finalize

1. Open NextGen Enterprise EHR.
2. Select the **File > System\Practice** template.
The **Select Template** window opens.
3. Select the **System** tab, and then select **Custom DB Picklists**.
The **Custom DB Picklists** template opens.
4. Select **SNOMED_Visit_Type**, and then select **Configure**.



5. Select **Add New List Item**.
The **Custom DBPicklist Setup** window opens.
6. Enter the details for **Code Value**, **SNOMED Type**, and **Code Description**, and then select **Add**.



7. Verify that the configured list is present in the grid.

Practice	Code Value	SNOMED Type	Qualifier 3	Qualifier 4	Code Description
	310653000	visit			Drug addiction therapy - methadone (regime/therapy)
	207195004	visit			History and physical examination with evaluation and management of nursing facility patient (procedure)
	414056002	visit			Drug dependence self detoxification (regime/therapy)
	18170008	visit			Subsequent nursing facility visit (procedure)
	270427003	visit			Patient-initiated encounter (procedure)
	183459001	visit			Admit gynecological emergency (procedure)
	63547008	procedure			Caloric vestibular test with recording (procedure)
	183473005	visit			Admit oral surgical emergency (procedure)
	108221006	visit			Evaluation AND/OR management - established patient (procedure)
	386473003	visit			Telephone follow-up (procedure)
	185321005	visit			Letter encounter to patient (procedure)
	405096004	visit			Diabetes self-management behavior (observable entity)
	50357006	visit			Evaluation and management of patient at home (procedure)
	385989002	visit			Substance use therapy (regime/therapy)
	408947007	visit			Alcohol abuse prevention education (procedure)
	426923008	visit			Prevention of opioid abuse (procedure)
	90407005	visit			Evaluation of psychiatric state of patient (procedure)
	270430005	visit			Provider-initiated encounter (procedure)
	266707007	visit			Drug addiction therapy (regime/therapy)
	185466002	visit			Home visit for urgent condition (procedure)
	68381003	procedure			Surgical removal of erupted tooth requiring elevation of mucoperiosteal flap and removal of bone (procedure)
	123456test	visit			snomed visit type I created

8. Select the row, and then select **Save & Close**.

Note: You can select the configured SNOMED visit or procedure in the **Finalize** template (options allow the user to select the visit or procedure for the list to display).

SNOMED Type

SNOMED codes selected here are only used for Quality Reporting and will not be uploaded to the procedure or problem modules.

Filter: ☒ Visit ☐ Procedure

239 records

SNOMED CT	Code
Seen in hospital outpatient department (finding)	185211000
Self-care patient education (procedure)	225967005
snomed visit type I created	123456test
Social psychotherapy (regime/therapy)	90102008
Subsequent hospital visit by physician (procedure)	12843005
Subsequent nursing facility visit (procedure)	18170008
Substance abuse prevention (procedure)	408933008
Substance abuse prevention assessment (procedure)	408934002
Substance abuse prevention education (procedure)	408935001
Substance abuse prevention management (procedure)	408936000
Substance use cessation case management (procedure)	423416000
Substance use cessation education, guidance, and counseling (procedure)	424407005
Substance use cessation surveillance (regime/therapy)	424148004
Substance use prevention (procedure)	386448003
Substance use surveillance (regime/therapy)	410419007

Selected SNOMED CT: snomed visit type I created

Save & Close Cancel

For more information on links to measure paper instructions, go to [NextGen Healthcare Success Community](https://www.nextgen.com/articles/UserGuides/Data-Sets-Setup-Practice-Template-User-Guide) and download <https://www.nextgen.com/articles/UserGuides/Data-Sets-Setup-Practice-Template-User-Guide>.

Screening Tools Log Configuration

Links to white paper instructions:

<https://www.community.nextgen.com/articles/UserGuides/Data-Sets-Setup-Practice-Template-User-Guide>

1. From the **File > System\Practice** template, select **Data Sets Setup**.
2. From the **Data Set** list, select **Screening Tools Log**.
3. Select **Add** to open the **Screening Tools Log Configuration** window.
4. Enter the following information:
 - In ***Screening Tool Name**, enter `Hospice Care Assessment`
 - In **LOINC**, enter `45755-6` and in **Code System**, enter `LOINC`.
 - In **Code Value**, enter `373066001`.

Note: To receive credit for the **Hospice Care Assessment** tool added to the Screening Tools Log Configuration for this measure, the tool above must be added and mapped to **LOINC** code 45755-6 with **SNOMED** code 373066001.

5. Select **Add** to add the Screening Tool, and then select **OK**.

Screening Tools Log Configuration

*Screening Tool Name: Template or Web Link: Launch To: Gender: Score Field Type:

Start Age: Stop Age: ☐ Enable Q Info Icon ☐ Q Info Icon Launch ☐ ☐ Enable Severity/Interpretation ☐ Enable MDD

Score Range From: Score Range To: LOINC: Required Field: ☐ Score ☐ Severity ☐ Score or Severity ☐ Code System: Code Value:

Developer: Funding Source: Reference: Reference Updated:

Filter by (Screening Tool Name):

Screening Tool Name	Template or Web Link	Launch To	Score Field Type	Gender	Start Age	Stop Age	Q Icon Enable Ind
24-Hour Migraine Quality of Life Questionnaire (24-Hr-MQCLQ)			numeric	O			N
Abbreviated Mental Test (AMT)			text	O			N
Clock Drawing Test (CDT)			numeric	O			N
Functional Assessment Screening Tool (FAST)			text	O			N
General Practitioner Assessment of Cognition (GPCOG)			numeric	O			N
Lawton Instrumental Activities of Daily Living (IADL)			numeric	O			N
Migraine Specific Quality of Life (MSQOL)			numeric	O			N

CRS 2.0 Configuration

For more information on CRS 2.0 configuration, refer to the following white paper instructions:

<https://www.community.nextgen.com/articles/UserGuides/Coded-Results-Mapping-User-Guide-for-NextGen-Adaptive-Content-Engine-6-2021-1>

<https://www.community.nextgen.com/articles/Knowledge/Coded-Results-Mapping-User-Guide-for-NextGen-Adaptive-Content-Engine-Enterprise-8>

Coded Results Mapping

Copy records to practice:

Add/Update Coded Results Mapping

Source Table: Source Field: Field Value: Map any Value: ☒ Min: Max: Code System: Code Value:

Comments:

☐ Show removed Filter by: 7 results

Source Table	Source Field	Field Value	Any Value	Min	Max	Code System	Code Value
soc_hx_hab_use	tbl_vaping_device_type		Y			SNOMED	722499006

NextGen HQM Data Assumptions

The following list outlines some of the NextGen HQM data assumptions:

- Qualifying data from NextGen Adaptive Content Engine
- **Diagnosis** and **Diagnosis Date**
- **Lab Results** and **Lab Results Date**
- **Age**
- **Demographic Data**
- **Medication Dates**
- **Medications**
- `Order_table`
- Window templates
- **Visit Type**
- **Vital Signs**

Document Revision History

Program Year	Program Name	Date	Document Version	Summary of Changes
2025	CMS	01/21/2025	1.0	Initial release